

# **Speedfol Colour**

## **Grape**

### **Red Globe Variety**

### **Coloration Trial**

## **ALAŐEHİR / TURKEY**

**Prepared by:**

Market Development Department  
Doktor Tarsa – Turkey  
September 2015



**Crop** : Vineyard  
**Trial Plot** : 100 Vinestock  
**Control Plot** : 200 Vinestock  
**Variety** : Red Globe and Antep Karası  
**Application Date** : 25.07.2015 - 01.08.2015





Two application have done to Red Globe and Antep Karası which are commercially important varieties in Alaşehir Region with Speedfol Colour on 25/07/2015.





- 1. Application** : 150 cc Speedfol Colour in 100 L water  
**Variety** : Red Globe  
**Application Date** : 25.07.2015



## Red Globe variety 1. application photos



## Red Globe variety 1. application photos



**Control**



**Speedfol Colour**

## Red Globe variety 1. application



## Red Globe variety 1. application photos



**Control**



**Speedfol Colour**



## Red Globe variety 1. application photos



**Speedfol Colour**



Because there is not any obvious coloration difference observed than control one week later from first application on **Red Globe** variety, second application has done with same dosage.

**2. Application** : 150 cc Speedfol Colour in 100 L water  
**Variety** : Red Globe  
**Application time** : 01.08.2015





## Red Globe variety 2. application photos



**Control**



**Speedfol Colour**



## Red Globe variety 2. application photos



**Speedfol Colour**

## Red Globe variety 2. application photos



**Control**



**Speedfol Colour**



**Control**



**Speedfol Colour**



**Control**



**Speedfol Colour**





## Speedfol Colour





## Speedfol Colour



**Speedfol Colour**  
**Grape**  
**Antep Karası Variety**  
**Coloration Trial**  
**ALAŞEHİR / TURKEY**



Same dosage and repetition of **Speedfol Colour** application has done to **Antep Karası**, which is a variety for fresh and dried consume, as like **Red Globe** application in Alaşehir Region.





- 1. Application** : 150 cc Speedfol Colour in 100 L water  
**Variety** : Antep Karası  
**Trial Plot** : 100 Vinestock  
**Control Plot** : 200 Vinestock  
**Application Date** : 25.07.2015



## Antep Karası variety 1. application photos



Control



Speedfol Colour

## Antep Karası variety 1. application photos



**Speedfol Colour**



## Antep Karası variety 1. application photos



**Speedfol Colour**





Observations that have done one week later from first application didn't show any obvious difference than control as like Red Globe trial, so with second application same dosage repeated.

**2. Application** : 150 cc Speedfol Colour in 100 L water  
**Application Date** : 01.08.2015



## Antep Karası variety 2. application photos



Speedfol Colour



## Antep Karası variety 2. application photos



**Red patchy coloration before dark purple coloration on the Antep Karası variety is NOT something wanted.**



Observations have done 20 days later from second application showed, that dark purple coloration was not as requested on Control vinestocks than Speedfol Colour applied vinestocks. Dark purple coloration at Speedfol Colour Plot was noticeable.







Grape cluster that hasn't contacted with Speedfol Colour











## RESULT

**Speedfol Colour** application have done 2 times with 1 week interval to **Red Globe** and **Antep Karasi** varieties. After 18-25 days, observations showed significant coloration and increased resistance at grape clusters against fungus origin diseases.





THANK YOU

